FEATURES/SETTINGS

4 - 8 - 12 - 18 - 25 kHz + shifts (X35 coils)
15 - 30 - 50 or 80 kHz + shifts (depending HF coils)
99 levels
3 levels (X35 coils)
6 levels
8 levels
6 levels
1, 2, 3, 4, 5, Pitch and Full Tones + EXPERT
Tracking, Pumping, Manual, Wet beach
Yes, with adjustable window width
Motion/None Motion
Yes, audio and visual
Audio and visual
164 levels
90 levels
x10 + 8 customisable programs

GENERAL FEATURES

Audio volume	Yes on wireless headphones
Display screen	8192 pixels
Backlighting	Yes, very low power consumption
Software updates	Yes, via USB
Wireless headphones	3 models WS4 - WS5 - WSAudio, weatherproof
Coil / Coil cover	DD - 6 meters - 20 feet Waterproof - Wireless
Belt-mounted remote control case	Yes
Headphone storage case	Yes
Stem	Fully telescopic, S-shaped
Batteries	Lithium ion polymer
Remote control battery life	19 hours
Wireless headphones battery life	22 hours
Coil battery life	15 hours on average depending frequency
Charging time	Coil: 2h15 , Headphones/Remote control: 3h00
Total weight with batteries	975g (875g without remote control)
Total weight of stem	455 g
Weight of remote control with battery	100 g
Weight of headphones with battery	86 g (WS4), 255 g (WS5)
Weight of coil	345 g with coil cover
Length of folded stem	58 cm
Length of deployed stem	130 cm
Waterproof coil	Yes, but needs the optional antenna to use with the coil submerged
Warranty	5 year parts and labour. Batteries, chargers & connectors have a 2 year warranty.



LONGTIME® LONGIVITY LABEL

Concerned about our planet and fighting against planned obsolescence, XP Metal Detectors have obtained the Long Time label. The first European label identifying and promoting products that are designed to last. XP Metal Detectors guarantee their metal detectors for 5 years and offer repairs and spare parts for a minimum of 10 years. DEUSI®, DEUS®, FMF® ORX®, WS6 Master have all obtained the label certification. Visit www.xpmetaldetectors.com/en/page/who-we-are.php to learn more.



Visit **www.xpmetaldetectors.com** for more information, download the user guide for tips and technical information. Many more accessories are available. Visit an XP dealer or the XP website to see the full range and understand all the pack you can order. DEUSI®, DEUS®, FMF® ORX®, are trademarks of XP Metal Detectors. The visuals and graphics provided are solely intended for demonstrative purposes, and the actual product may differ from the depicted configurations. Photo credits: Xplore® - Thomas Conte - Freepik.com / Creation and realisation: Thomas Conte - info@thomas-conte.fr / Print at: Cazaux Imprimerie - 31600 Muret - France



- FAST AND DEEP
 FULLY WIRELESS
 MULTIPLE SEARCH MODES FOR ALL TERRAIN
 LIGHTWEIGHT AND ERGONOMIC
 - BUILT TO LAST







XP DEUS NEVER MISSES A TARGET

17 KHZ

15 KHZ

12 KHZ

4 / 8 / 12 / 15 / 17 kHz

Large to medium sized targets

8

KHZ

4 KHZ



ALL TERRAIN ALL CONDITIONS Its versatility and adaptability make it an indispensable tool, whether you're eXPloring the depths of a forest or combing the shores of a beach



With its 18 programs, the DEUS is incredibly versatile and can adapt to any type of soil. 10 factory programs + 8 custom.



FROM 750G - (1.7 lbs) Experience the world's lightest high-end metal detector. Detect for longer periods of time with ease, without sacrificing performance.



×35

35 FREQUENCIES






REACTIVITY

It's lightning-fast reactivity gives you clear information about your target, helping you to make the right decision, every time.

> **RO - R1** No sound

R2 - R3 Short sound

R4 - R5 Full sound With many frequencies to choose from, ranging from 3.7 to 81 kHz, you can fine tune your detector to find a variety of targets at different depths. Whether you're searching for large, deep treasures or smaller, shallow items, the XP DEUS has the perfect frequency to suit your needs.



30 kHz Medium to small targets

REMOTE Control

Versatility
Performance
18 programs including 10 factory programs and 8 customisable user programs

Battery level of coil and remote control

Target conductivity, from O to 99

Choose your own display Horseshoe or XY screen, ...

Frequency used

Access to MENU DISCRI - SENS - FREQ ...

ON/OFF Access to menu OPTION Configuration / Programs / Coils / Pinpointer XP

> Decrease values - Change program



Target conductivity

The ground mineralisation index (phase measured constantly for information)

Mineralisation strength

The actual level of ground effect corrections (phase adjustment underway)

Access to G.B. (Ground Balance) Manual / Pumping / Beach / Tracking

Increase values Change program

Non-motion mode (Pinpoint) - Ground Grab prog. 10

ACCESSORIES



WS AUDIO headphones



WS4 headphones



WS5 Headphones



HF Coils 15 - 30 - 50 or 80 kHz + shifts



X35 Coils 4 - 8 - 12 - 18 - 25 kHz + shifts



Pinpointer MI-6 connected

